

RUGGED.

DOCKING STATIONS AND VEHICLE MOUNTS



General Dynamics Itronix GoBook XR-1/GD8000 Docking Station

Item No.	Antenna Pass-Through	Weight	Height	Width	Depth
7160-0011-02	Dual RF (TNC, SMA)	7.1 lbs	2.25"	12.0"	11.5"

Features

- General Dynamics Itronix Tested Vehicle Dock
- Designed using "extreme environment" test procedures
- Successfully passed test specifications including vibration, temperature, shock/crash and CE Mark
- Internal/protected circuit board and power supply are enclosed to shield from dirt and dust
- Small footprint & tapered design allows for minimal mounting space
- Rounded edges to enhance personal safety
- Positive key lock design integrated for customer ease of use & computer security
- Automatically provides fast battery charging capability
- Highly accessible and viewable I/O connectors & interfaces when unit is secured in docking station
- Recessed I/O ports to protect and to help minimize footprint
- LED Indicator lights on front of unit to show when unit is powered on and computer is docked
- Molex connector is incorporated for easy installation
- Built-in strain relief system
- Drop in convenience, fast and easy connection for immediate use
- Aluminum structure for reduced overall weight
- Rugged construction for long term durability
- Black powdercoat finish for maximum corrosion resistance
- 3 year limited warranty (printed circuit board, docking connector and all sheet metal)

Note: This dock and all sub components are RoHS compliant.


DuraTech USA Inc.

A Certified 8(a), SDB, DBE, SBE, MBE, WBE firm.

6765 Westminster Ave #314 Westminster, CA 92683

Phone: (714) 898-2171 Fax: 866-704-9132

Email: sales@DuraTechUSA.com www.DuraTechUSA.com




RUGGED.

DOCKING STATIONS AND VEHICLE MOUNTS




General Dynamics Itronix GoBook XR-1/GD8000 Docking Station Accessories

Item No.	Description	Placement	Weight	Height	Width	Depth
7160-0101	LED Light Assembly	Attaches to either side of docking station	0.60 lbs	17.0"	2.28"	2.0"
7110-0854	Screen Support	Attaches to either side of docking station	0.65 lbs	8.88"	2.31"	2.19"



Shown:
7160-0101



Shown:
7110-0854

DuraTech USA Inc.
A Certified 8(a), SDB, DBE, SBE, MBE, WBE firm.

6765 Westminster Ave #314 Westminister, CA 92683
Phone: (714) 898-2171 Fax: 866-704-9132
Email: sales@DuraTechUSA.com www.DuraTechUSA.com



Very Well Connected™

RUGGED.

DOCKING STATIONS AND VEHICLE MOUNTS



General Dynamics Itronix GoBook XR-1/GD8000 Docking Station

Port Replicator

- | | |
|---------------------------|-------------------|
| - USB 2.0 (4) | 4 pin |
| - Antenna Pass-Through | TNC, SMA |
| - Ethernet | RJ45 |
| - Video VGA Out | D-sub 15 pin |
| - Serial (2) | D-sub 9 pin |
| - Headphone/speakers | Stereo phono jack |
| - Microphone | Mono phono jack |
| - External keyboard/mouse | Mini-DIN 6 pin |
| - Remote Power On/Off | 3.5mm Mini-Jack |



Internal Power Supply

- Operating Temperature: -20° C to 60° C (-4° F to 140° F)
- Input voltage: 11V DC to 28.0 V DC
- Output voltage: 19.0 V DC +/- 5%
- Over voltage protection: >30V
- Output current limit = 4.5A
- Output Amp: 4.5A
- Voltage protection
- LED power indicator light
- LED docked indicator light
- Reverse voltage protection
- Input fused
- Surge suppression
- Automatic temperature reset

DuraTech USA Inc.

A Certified 8(a), SDB, DBE, SBE, MBE, WBE firm.

6765 Westminster Ave #314 Westminster, CA 92683

Phone: (714) 898-2171 Fax: 866-704-9132

Email: sales@DuraTechUSA.com www.DuraTechUSA.com

Note: This dock and all sub components are RoHS compliant.

